

# Corvita™ Multivitamin/Mineral Supplement with Iron Prescribing Information

## Supplement Facts

Serving Size: 1 Tablet  
Servings Per Container: 100

	Amount Per Serving	% DV Adults & Children 4 Years or More
Calories	0	
Total Carbohydrate	Less than 1 g	<1%†
Vitamin A (as Beta Carotene)	225 mcg RAE (750 IU)	25%
Vitamin C (Ascorbic Acid)	375 mg	417%
Vitamin D (as Cholecalciferol)	8 mcg (315 IU)	40%
Vitamin E (as d-Alpha Tocopheryl Succinate)	84 mg** (125 IU)	560%
Thiamin (as Thiamine Mononitrate)	25 mg	2083%
Riboflavin	3.4 mg	262%
Niacin (as Niacinamide)	35 mg NE	219%
Vitamin B <sub>6</sub> (as Pyridoxine HCl)	35 mg	2059%
Folate	2083 mcg DFE (1250 mcg Folic Acid)	521%
Vitamin B <sub>12</sub> (as Cyanocobalamin)	70 mcg	2917%
Biotin	75 mcg	250%
Pantothenic Acid (as d-Calcium Pantothenate)	5 mg	100%
Iron (as Ferronyl® Iron, Micronized)	13 mg	72%
Magnesium (as Magnesium Oxide)	35 mg	8%
Zinc (as Zinc Oxide)	35 mg	318%
Selenium (as Sodium Selenate 2%)	125 mcg	227%
Copper (as Copper Gluconate)	1 mg	111%
Chromium (as Chromium Picolinate)	150 mcg	429%
Alpha Lipoic Acid	10 mg	*
Lutein	350 mcg	*
Lycopene	125 mcg	*

†Percent Daily Values are based on a 2,000 calorie diet  
\*Daily Value (DV) not established  
\*\*Equal to mg alpha-tocopherol

**Other Ingredients:** Silicified Microcrystalline Cellulose, Microcrystalline Cellulose, Green Color Coating (Hydroxypropylmethyl Cellulose, Titanium Dioxide, Polyvinyl Alcohol, Triacetin, Talc, FD&C Yellow #5 Lake, FD&C Blue #2 Lake, FD&C Yellow #6 Lake), Croscarmellose Sodium, Fumed Silica, Tri-Potassium Citrate, Magnesium Stearate, Stearic Acid, and Citric Acid.

### Sugar, Lactose, and Gluten Free

CORVITA™ is a prescribed Multivitamin/Mineral Supplement with Iron that is specially formulated and indicated for the distinct nutritional requirements of individuals with vitamin deficiencies.

### CONTRAINDICATIONS

CORVITA™ Multivitamin/Mineral Supplement with Iron tablets should not be used by patients with known history of hypersensitivity to any of the listed ingredients or as directed by your physician.

**WARNING:** Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. **KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.** In case of accidental overdose, call a doctor or poison control center immediately.

### PRECAUTIONS

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B<sub>12</sub> is deficient. Folic acid in doses above 0.1 mg daily, may obscure pernicious anemia assessment, such that hematologic remission can occur while neurological manifestations remain progressive.

This product contains FD&C Yellow No. 5 (tartrazine) which may cause allergic-type reactions (including bronchial asthma) in certain susceptible persons. Although the overall incidence of FD&C Yellow No. 5 (tartrazine) sensitivity in the general population is low, it is frequently seen in patients who also have aspirin hypersensitivity.

Biotin levels higher than the recommended daily allowance may cause interference with some laboratory tests, including cardiovascular diagnostic test (e.g. troponin) and hormone tests, and may lead to incorrect test results. Tell your healthcare provider about all prescription and over-the-counter medicines, vitamins, and dietary supplements that you take, including biotin.

### DRUG INTERACTIONS

CORVITA™ Multivitamin & Mineral Supplement with Iron tablets are not recommended for and should not be given to patients receiving levodopa because the action of levodopa is antagonized by pyridoxine. There is a possibility of increased bleeding due to pyridoxine interaction with anticoagulants (e.g., Aspirin, Heparin, Clopidogrel).

### ADVERSE REACTIONS

Adverse reactions have been reported with specific vitamins and minerals but generally at levels substantially higher than those contained in CORVITA™. However, allergic and idiosyncratic reactions are possible at lower levels. Iron, even at the usual recommended levels has been associated with gastrointestinal intolerance in some patients.

### DESCRIPTION

CORVITA™ is a green coated, oval shaped tablet debossed with "VP 011" on one side, bisect on the other side.

### DIRECTIONS FOR USE

Usual adult dosage is one bisected tablet daily, or as prescribed by a physician.

### HOW SUPPLIED

Corvita™ tablets are supplied in bottles of 100 tablets.

**Product Code: 13811-028-10**

**STORAGE:** Store at 20°-25°C (68°-77°F), excursion permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature]. Protect from light and moisture and avoid excessive heat. Dispense in a tight, light resistant container as defined by the USP with a child-resistant closure.

### KEEP OUT OF REACH OF CHILDREN.

**For use on the order of a healthcare practitioner.**

**Call your doctor about side effects. To report side effects, call Trigen Laboratories, LLC at 1-877-482-3788 or FDA at 1-800-FDA-1088 or [www.fda.gov/medwatch](http://www.fda.gov/medwatch).**

**Customer Service: 1-877-482-3788**

**PLR-CORVITA-00001-01 Rev. 12/2019**

**Manufactured for:**  
Trigen Laboratories, LLC  
Bridgewater, NJ 08807

